

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,094,257 B2
APPLICATION NO. : 10/685767
DATED : August 22, 2006
INVENTOR(S) : James R. Mujwid

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 1, line 36, change "recent intervertebral implants" to --recent intervertebral implants--.

In column 1, line 38, change "One such intervertebral implant" to --One such intervertebral implant--.

In column 1, line 65, change "expandable intervertebral implant" to --expandable intervertebral implant--.

In column 2, line 24, change "first configuration of teeth are raked" to --first configuration of teeth is raked--.

In column 2, line 25, change "second configuration of teeth are raked" to --second configuration of teeth is raked--.

In column 2, line 47, change "FIG. 1 is front elevational view" to --FIG. 1 is a front elevational view--.

In column 2, line 49, change "present disclosure," to --present disclosure;--.

In column 3, line 7, change "according the principles" to --according to the principles--.

In column 4, line 13, change "0.3 and 0.7 inches;" to --0.3 and 0.7 inch;--.

In column 4, line 14, change "0.4 and 0.6 inches;" to --0.4 and 0.6 inch;--.

In column 4, line 15, change "is about 0.5 inches." to --is about 0.5 inch;--.

In column 4, line 18, change "0.2 and 0.5 inches;" to --0.2 and 0.5 inch;--.

In column 4, line 19, change "0.2 and 0.4 inches;" to --0.2 and 0.4 inch;--.

In column 4, line 20, change "is about 0.3 inches." to --is about 0.3 inch.--.

In column 4, line 25, change "0.7 and 0.9 inches;" to --0.7 and 0.9 inch;--.

In column 4, line 26, change "is about 0.8 inches." to --is about 0.8 inch.--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,094,257 B2
APPLICATION NO. : 10/685767
DATED : August 22, 2006
INVENTOR(S) : James R. Mujwid

Page 2 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 4, line 58, change "0.2 and 0.6 inches;" to --0.2 and 0.6 inch;--.

In column 4, line 59, change "0.3 and 0.5 inches;" to --0.3 and 0.5 inch;--.

In column 4, line 60, change "is about 0.4 inches." to --is about 0.4 inch.--.

In column 4, line 63, change "0.2 and 0.5 inches;" to --0.2 and 0.5 inch;--.

In column 4, line 64, change "0.2 and 0.4 inches;" to --0.2 and 0.4 inch;--.

In column 4, line 65, change "is about 0.3 inches." to --is about 0.3 inch.--.

In column 5, line 2, change "0.7 and 0.9 inches;" to --0.7 and 0.9 inch;--.

In column 5, line 3, change "is about 0.8 inches." to --is about 0.8 inch.--.

In column 5, line 23, change "The thickness T1 is design to" to --The thickness T1 is designed to--.

In column 6, line 44, change "meet the adjacent surface 78, 88" to --meet the adjacent surfaces 78, 88--.

In column 6, line 52, change "external member 12 are raked" to --external member 12 is raked--.

In column 6, line 54, change "internal member 14 are raked" to --internal member 14 is raked--.

In column 6, line 60, change "walls of the member 12, 14." to --walls of the members 12, 14.--.

In column 7, line 15, change "external member 12 is preferably" to --external member 12 are preferably--.

In column 7, line 21, change "the internal member 14 is preferably" to --the internal member 14 are preferably--.

In column 8, line 28, change "A variety of structural configuration" to --A variety of structural configurations--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,094,257 B2
APPLICATION NO. : 10/685767
DATED : August 22, 2006
INVENTOR(S) : James R. Mujwid

Page 3 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 9, line 7, change "about 0.45 inches" to --about 0.45 inch--.

In column 9, line 9, change "embodiment of FIGS. 3-5 and 6-8 have" to --embodiments of FIGS. 3-5 and 6-8 have--.

In column 9, line 22, change "structures 92 includes holes 94." to --structures 92 include holes 94.--.

In column 9, line 38, change "structure 54 of the internal member 14 disengage" to --structure 54 of the internal member 14 disengages--.

In claim 13, column 11, line 38, change "internal member positioned within the first wall" to --internal member is positioned within the first wall--.

In claim 15, column 11, line 63, change "perpendicular orientation" to --perpendicular orientation;--.

In claim 15, column 12, line 4, change "internal walls" to --internal walls; and--, as shown in the Amendment filed on April 3, 2006 on Page 6, claim 12, now claim 15.

In claim 15, column 12, line 8, change "second external walls;" to --second external walls;--, as shown in the Amendment filed on April 3, 2006 on Page 6, claim 12, now claim 15.

In claim 15, column 12, line 20, change "defied the internal walls" to --deflect the internal walls--, as shown in the Amendment filed on April 3, 2006 on Page 6, claim 12, now claim 15.

In claim 17, column 12, line 31, change "configuration of teeth are" to --configuration of teeth is--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,094,257 B2
APPLICATION NO. : 10/685767
DATED : August 22, 2006
INVENTOR(S) : James R. Mujwid


Page 4 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In claim 18, column 12, line 35, change "configuration of teeth are" to
--configuration of teeth is--.

Signed and Sealed this

Twenty-seventh Day of February, 2007

A handwritten signature in black ink, appearing to read "Jon W. Dudas", is written over a rectangular area with a light gray, textured background.

JON W. DUDAS
Director of the United States Patent and Trademark Office